


1/4" Sq. Dr. Sockets For Metric Sheet Metal Screws

6 Point and
6 Point
Magnetic




Part Number 6 Point	Part Number Magnetic	Hex Opening mm	Overall Length (A)	Diameter Nose End (B)	Diameter Drive End (C)	Opening Depth (D)
3.5mmE1	-	3.5	22.2	6.4	12.7	2.4
4mmE1	M-4mmE1•	4	22.2	6.4	12.7	2.4
-	M-5mmE1•	5	22.2	8.7	12.7	3.9
5.5mmE1	M-5.5mmE1•	5.5	22.2	9.5	12.7	3.9
6mmE1	M-6mmE1•	6	22.2	9.5	12.7	3.9
7mmE1•	M-7mmE1•	7	22.2	11.1	12.7	4.8
-	MR-7mmE1*•	7	22.2	11.1	12.7	4.8
8mmE1•	M-8mmE1•	8	25.4	12.7	12.7	4.8
9mmE1	M-9mmE1•	9	25.4	14.3	14.3	4.8
10mmE1•	M-10mmE1•	10	25.4	15.9	15.9	6.4
11mmE1	M-11mmE1•	11	25.4	17.5	17.5	7.2
12mmE1	M-12mmE1•	12	25.4	17.5	17.5	7.2
13mmE1•	M-13mmE1•	13	25.4	19.1	19.1	8.7

*MR-7mmE1 has stronger magnet

1/4" Sq. Dr. Universal Wrenches, Metric

6 Point



Part Number 6 Point	Hex Opening mm	Overall Length (A)	Socket Length (B)	Socket Diameter (C)	Nose End Diameter (D)	Opening Depth (E)
SA-15-6m	6	31	19.1	15.9	9.5	9.5
SA-15-7m	7	31	19.1	15.9	10.3	9.5
SA-16-8m•	8	38	19.1	19.1	11.1	7.9
SA-16-10m•	10	40	20.6	19.1	15.1	9.5


Universal wrenches must not be used with impact drivers.
Maximum operating angle is 30°.

If the tool you need does not appear in this catalog, give us a call. The odds are, we may have what you need as a non-catalog item. If not, our experienced staff of tooling experts can design and manufacture "specials" to meet the needs of your specific application. Give us a call at 1-800-845-5629 or visit our website www.apex-tools.com.

• Indicates a commonly requested item that is either in stock or has a max typical leadtime of 4 weeks from the factory. No minimum on these items.

1/4" Sq. Dr. Sockets For Spline Fasteners

Standard and
Long Length



Part Number	Spline Size	Nominal Size	Overall Length (A)		Diameter Nose End (B)		Diameter Drive End (C)	
			In.	mm	In.	mm	In.	mm
CMS-1507	7	7/32	2	51	21/64	8	7/16	11
CMS-1408	8	1/4	7/8	22	3/8	10	7/16	11
CMS-1508	8	1/4	2	51	3/8	10	7/16	11
CMS-1409	9	9/32	7/8	22	7/16	11	7/16	11
CMS-1509	9	9/32	2	51	7/16	11	7/16	11
CMS-1410•	10	5/16	7/8	22	29/64	12	29/64	12
CMS-1510	10	5/16	2	51	29/64	12	29/64	12
CMS-1412•	12	3/8	7/8	22	17/32	14	17/32	14
CMS-1414	14	7/16	1	25	39/64	16	39/64	16

Apex spline sockets conform to military specifications MS-37787 and MIL-W-8982C.